

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification 6 :</b> <b>A21D 10/00, 2/00, 8/04</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 99/43213</b> <b>(43) International Publication Date:</b> 2 September 1999 (02.09.99)
<b>(21) International Application Number:</b> PCT/BE99/00025 <b>(22) International Filing Date:</b> 18 February 1999 (18.02.99) <b>(30) Priority Data:</b> 98870039.9 26 February 1998 (26.02.98) EP <b>(71) Applicant (for all designated States except US):</b> PURATOS NAAMLOZE VENNOOTSCHAP [BE/BE]; Industrialaan 25, B-1702 Groot-Bijgaarden (BE). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> ARNAUT, Filip [BE/BE]; Weverstraat 58, B-1761 Roosdaal (BE). JANKE, Hans-Christian [DE/DE]; Timmerbruch 31, D-57368 Lennestadt (DE). <b>(74) Agents:</b> VAN MALDEREN, Eric et al.; Office Van Malderen, Place Reine Fabiola 6/1, B-1083 Brussels (BE).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> GRANULATED BREAD IMPROVER FOR THE PREPARATION OF BAKERY PRODUCTS   <p>The graph plots Volume % on the y-axis (0 to 8) against Particle Diameter (µm) on a logarithmic x-axis (0.4 to 2000). Curve 1, labeled '1', shows a peak volume of about 5.5% at a particle diameter of approximately 150 µm. Curve 2, labeled '2', shows a peak volume of about 6.5% at a particle diameter of approximately 400 µm. Both curves start to rise around 20 µm and return to zero by 2000 µm.</p>		
<b>(57) Abstract</b>  The present invention is related to a bread improver in the form of a powder, characterised in that it is made of agglomerated particles having a mean particle size of at least 250 µm. The present invention is also related to the preparation method of said bread improver.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LJ	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

5

GRANULATED BREAD IMPROVER FOR THE PREPARATION OF BAKERY  
PRODUCTS

10

Field of the invention

The present invention is related to a granulated bread improver for the preparation of bakery products, and to the bakery products comprising said  
15 improver.

The present invention is also related to the preparation process of said granulated bread improver.

Background of the invention and state of the art

20

Baked bread products are made of the basic ingredients: flour (mostly wheat or rye flour), water, salt and yeast. Other types of flour (barley, oats, soy, sunflower, cassava and other). The process of baking is subject to a lot of variations due to external  
25 (temperature, humidity, handling) and internal (variations of flour and yeast quality) factors.

To obtain a more reliable production process and a constant end product the baker uses ingredients and additives. These products are mostly added as one  
30 coformulated product and are known as improvers. These improvers may contain emulsifiers and fats, enzymes, sugars, organic acids, minerals, polysaccharides and

proteins. This includes products such as diacetyltartaric acid esters of monoglycerides, lactic acid ester of monoglycerides, monoglycerides, amylases, hemicellulases and pentosanases, oxidases, lipases, proteinases, glucose, fructose, sucrose, ascorbic acid, lactic acid, phosphates, sulphates, guar, locust bean gum, gluten, soy proteins.

Said list is not exhaustive and is presented as an illustration of a possible improver. A mixture of ingredients active in the preparation process of baked goods is called an improver as soon as it contains more than one class of active components mixed together as to optimise by a synergetic effect their performances in the baking process. The mixing of several enzymes does not lead to obtain an improver. On the other hand, mixing one or more enzymes with an emulsifier (for example DATEM) or with ascorbic acid gives the formulation of an improver.

The improver can be formulated as a liquid, as a paste or more commonly as a powder. The powdered formulation contains the active ingredients as above-mentioned and a carrier substance. The carrier substance is added to the active ingredients in order to dilute them to the suitable concentration. The improver will be added by the baker in a concentration of 0.5 to 20% to the flour.

The most currently used carrier substances are starch, wheat flour or soy flour. The powdered formulation of the improver is very stable, and easy to weigh and to store.

However, said formulation presents also various drawbacks. If one of the components is an emulsifier or another fat-based product, the improver will tend to stick, which may result in more or less compact lumps.

This effect is more pronounced at higher temperatures. As a result of its poor free flowing characteristics, the improver is not easily carried by automatic dosing systems and tends to get stuck in the  
5 pipes. This also makes dosing inaccurate, and makes the cleaning of the pipes arduous. In addition, a flour which contains a lot of small particles may give rise to allergic reactions for sensitised persons, for instance as in baker's disease which is well known to be caused by  
10 allergenic wheat flour particles and by the powdered additives.

In various fields, it has been proposed to increase the particle size of various compositions.

The enzyme producers have granulated their  
15 enzymes to reduce this risk of allergenicity as illustrated in the US Patent US-4,940,665.

The International Patent Application WO93/07260 describes the manufacturing of dust free particles of enzymes by spray-coating solid particulate  
20 cores.

The European Patent Application EP-A-0289069 describes also oil or fat obtained in a granular form.

The European Patent Application EP-A-0659344 describes a dry yeast composition consisting of dry  
25 inactive yeast and a bread improving agent which is preferably in a granular form or consists of small particles adhering larger yeast granules. This European Patent Application also describes a process to obtain a mixture of hemicellulase, amylase and Vitamin C in a  
30 granular form.

One might try to overcome the disadvantages of a powder form improver by applying the teaching of the

European Patent Application EP-A-0659344 and thus producing or buying granulated ingredients or mixtures of ingredients. This however will result in a non-homogeneous particle distribution. In the specific applications 5 described in the European Patent Application EP-A-0659344, said drawbacks are not important, because the end product is packed under reduced pressure afterwards, becomes a firm block and the particles are not able to move relative to one other. Mixing all improver ingredients in one solution 10 and granulating as described in the European Patent Application EP-A-0659344 will only be efficient if all ingredients are miscible and stable in water. This is mostly not the case for bread improvers. This is illustrated by the fact that common emulsifiers as 15 diacetyltartaric ester of monoglycerides or stearylactylates are readily hydrolysed in water and can not be used in aqueous solutions. It is also impossible to make aqueous solutions incorporating enzymes when at least one protease is to be present in the mixture.

20

#### Aims of the invention

The main aim of the invention is to provide a bread improver in the form of a powder and its preparation process which do not present the drawbacks of the above- 25 mentioned state of the art.

The main aim of the invention is to provide a bread improver in the form of a powder and its preparation process, which presents improved free-flowing properties, which is more easy to handle and which may reduce the risk 30 of potential allergenicity.

General description of the invention

The present invention is related to a bread improver in the form of a powder which is made of agglomerated particles having a mean particle size of at least 250  $\mu\text{m}$ . The mean agglomerated particle size of this product is preferably comprised between 300 and 2000  $\mu\text{m}$ .

Preferably, the standard deviation /mean agglomerated particle size ratio is lower than 0.8, preferably lower than 0.65.

10 In a preferred embodiment of the present invention, the particles are made of at least 2 different active ingredients, advantageously balanced to obtain an effect in bakery products.

The improver according to the invention can further comprise one or more ingredients selected from the group consisting of emulsifiers, fats, enzymes, sugars, organic acids, minerals, polysaccharides, proteins and/or a mixture thereof.

A second aspect of the present invention is related to a method for obtaining the granulated improver in the form of a powder according to the invention, said method comprising the steps of :

- preparing a starting material being a bread improver in the form of a dried powder having a mean particle size lower than 200  $\mu\text{m}$ ,
- introducing and maintaining said starting material in a fluidised bed reactor, under spraying of an atomised liquid, in order to obtain an agglomeration of the dried powder particles of said material, and
- 30 - recovering a bread improver in the form of a dried powder made of agglomerated particles having mean particle size of at least 250  $\mu\text{m}$ .



In the method according to the invention, the standard deviation/mean agglomerated particle size ratio of the agglomerated particles is preferably lower than the standard deviation/mean agglomerated particle size ratio of  
5 said starting material.

In the method according to the invention, said liquid comprises water and preferably further comprises an agglomerating agent selected from the group consisting of polysaccharides (such as guar, alginate,  
10 carrageenan, pectin, maltodextrins) or proteins (such as gelatin) and/or a mixture thereof.

In the method according to the invention, the temperature of the fluidised bed reactor is preferably comprised between 20 and 45 °C, more preferably between 25  
15 and 40 °C.

Advantageously, the fluidised bed reactor used in the method according to the invention is a Glatt granulating device. However, other fluidised bed equipments are also suitable for the preparation of the bread improver  
20 according to the invention. Examples are Allgaier Wirbelschichttrockner (Allgaier Uchingen, GERMANY) and Vector Fluid Bed (Vector Marion, Iowa, USA).

#### Detailed description of the invention

25 The granulation of a formulated improver is not obvious to perform. Due to its very complex composition, special care has to be taken to keep the activity of the different components intact. Specially sensitive active components are enzymes and emulsifiers.  
30 The temperature sensitivity of enzymes is commonly known. Emulsifiers are also temperature sensitive : they melt at a

certain temperature, but even before this temperature is reached, an emulsifier tends to become sticky and will cause unwanted lumping in the improver. This means that the improver temperature during granulation must be kept under  
5 this melting temperature.

Moreover, emulsifiers are sensitive to moisture.

The dry improver may also contain other ingredients that are unstable in water or that tend to  
10 react with other ingredients present in the improver. As an illustration one can mention the reaction between bromate and cysteine. Therefore the moisture content must be kept low during the entire granulation process.

The granulation step is followed by measuring  
15 the particle size distribution by using the Coulter LS 200 Particle Analyser.

The bread improver powder is introduced in the granulating device. Warm air, preferably dried, is blown through the powder as to fluidise it. The air flow is  
20 such that a stable fluidised bed is obtained. This result is measured and determined by a person skilled in the art according to bed expansion and movement of the particles in said fluidised bed. The temperature of the fluidised bed has to be lower than 45 °C. Preferably it is lower than 40  
25 °C. The lower limit is defined by the evaporative capacity of the air and is usually higher than 25 °C. Once the fluidised bed is stabilised, water or preferably an aqueous solution containing an agglomerating material is sprayed on the fluidised bed. This step is usually called "topspray".  
30 It is also possible to granulate using the "bottom spray" method (also called the "Wurster process"). The aqueous

solution, which preferably contains an agglomerating agent or a mixture of agglomerating agents dissolved in water, is sprayed on the bread improver powder. Examples of these agglomerating agents are: polysaccharides (such as guar, 5 alginate, carrageenan, pectin, maltodextrins) or proteins (such as gelatin). The bread improver powder (possibly additionally dried) having the suitable mean particle size is then recovered from the granulating device.

10           The invention will be further illustrated in the following examples, in view of the enclosed figures, without limiting the scope of the present invention.

#### Short description of the drawings

15           The figures 1 to 4 represent the average size distribution of various improvers according to the invention compared to the powder formulation of the starting material.

#### 20 Examples

##### Example 1: Small scale granulation

The granulation was performed using a Glatt GPCG 1 (Glatt-Binzen-Germany).

25           The starting material is made of 1250g of the product S500 Controller, available in Belgium from Puratos N.V. and is put in the granulation vessel. Some of the ingredient of S500 product are DATEM, enzymes, ascorbic acid, sugar and dry wheat flour.

30           A solution of 0.66% guar in water was used as the spraying solution at a spray rate of about 7.6 ml/min. The atomisation pressure in the nozzle was about 0.5 bar. Air inlet temperature was about 51 °C and the linear air

speed about 3.5 m/s. Bed temperature was maintained at about 29 °C. It fluctuated between about 26 °C and 32 °C. Process time was about 75 minutes. In this period 3.8 g of guar was sprayed on the product.

5 In the figure 1, it is shown that the average particle size distribution is considerably increased by the granulation process. In all figures, (1) indicates the particle size distribution prior to the treatment, while (2) shows the particle size distribution after the  
10 agglomeration treatment according to the invention.

#### Example 2 : Baking experiments

Baking tests of Belgian pistolets were performed using the following method. The ingredients used  
15 in the four experiments as specified in Table 1 are all expressed in grams :

Table 1 : Ingredients for baking tests 1 to 4

Ingredients	Test 1	Test 2	Test 3	Test 4
Wheat flour	1500	1500	1500	1500
Water	930	930	930	930
Yeast	90	90	90	90
Salt	30	30	30	30
Non-granulated S500	30		45	
S500 after granulation experiment 1		30		45

20 After mixing to optimum dough development (Diosna spiral mixer), the dough was allowed to rest for a total time of 25 minutes, then the dough was divided in 66 g dough pieces (Eberhardt divider) and allowed to rise

for 15 minutes during which the dough pieces are cut. Final proofing takes 70 minutes and then the pistolets are baked at 230 °C for 20 minutes in a oven with steam (Miwe Condo).

After baking the specific volume is measured based on the rapeseed displacement method. The standard deviation on the baking experiment is about 0.2 litre/kg.

Table 2 :      Results for the example 2

	Test 1	Test 2	Test 3	Test 4
Specific volume (l/kg flour)	12.9	12.8	14.1	14.0

10 Example 3 : Small scale granulation

The granulation was performed using a Glatt GPCG 1 (Glatt-Binzen-Germany).

The starting material is made of 1250 g of the product Joker, available in Belgium and in Italy from Puratos N.V. and is put in the granulation vessel. Some of the ingredients of Joker product are: enzymes, ascorbic acid and dry wheat flour. It contains no emulsifier or fat. A solution of 25% maltodextrines (Maldex150-Amylum Belgium) in water was used as the spraying solution at a spray rate of about 4.4 ml/min. The atomisation pressure in the nozzle was about 1.5 bar. Air inlet temperature was about 51 °C and the linear air speed about 3.5 m/s. Bed temperature was maintained at about 29 °C. It fluctuated between 26 °C and 32 °C. Process time was about 150 minutes. In this period 165 g of maltodextrines was sprayed on the product.

In the figure 2, it is shown that the average particle size distribution is considerably increased by the granulation process according to the invention.

Example 4 : Industrial granulation of improver

The industrial granulator was a WSG 120-200 from Glatt - Binzen(Germany) equipped with 3 nozzles. The granulated product has the following composition :

5	dextrose	: 50 kg
	DATEM in powder form	: 25 kg
	dry wheat flour	: 117.5 kg
	pre-diluted hemicellulase	: 3.75 kg
	pre-diluted alpha-amylase	: 3.76 kg

10           The enzymes were prediluted in wheat flour to facilitate a reproducible mixing. The ingredients were mixed and introduced in the granulation bowl. A solution of 0.66% guar in water was used as the spraying solution at a spray rate of about 25 l/h. The atomisation pressure in  
15 the nozzles was about 2 bar. Air inlet temperature varied between 20 and 75 °C. The inlet air flow was about 3800 m<sup>3</sup>/h. Bed temperature was set at about 30 °C. It fluctuated between 27 °C and 35 °C. Process time was about 80 minutes. In this period, 0.5 kg of guar was sprayed on the product.

20           Figure 3 and 4 and Table 3 show that starting from a particle size distribution with at least 3 different populations, the product obtained after 80 minutes presents a uniform distribution, with an increased mean particle size.

25

Summary of results

Results are expressed before and after granulation in the Table 3.

30

Table 3 : Results for examples 1, 3 and 4

	Example 1		Example 3		Example 4	
	Before gran.	After gran.	Before gran.	After gran.	Before gran.	After gran.
Median ( $\mu\text{m}$ )	151	454	79	608	88	851
Mean ( $\mu\text{m}$ )	238	531	92	617	100	890
< 250 $\mu\text{m}$ (vol. %)	74	17	98	4	97	13
< 50 $\mu\text{m}$ (vol. %)	3.9	0.5	30	0.4	31	0.7
Standard deviation (SD)	245	326	64	200	72	466
SD/mean	1.03	0.61	0.70	0.32	0.72	0.52

The value of SD/mean is a measure for the uniformity of distribution. A more uniform particle size distribution has industrial advantages. In the table, it is clear that the granulation step decreases the value of SD/mean, which results in a more uniform distribution (steeper, more distinct peaks).

It is clear that the exact granulation parameters must be adapted to the exact composition and especially to the carrier substance. If gums or other agglomerating substances are already present in the dry improver mix, it can be sufficient to spray only water to granulate the powder as such.

CLAIMS

1. Bread improver in the form of a powder, characterised in that it is made of agglomerated particles having a mean particle size of at least 250  $\mu\text{m}$ .
- 5           2. Improver according to claim 1, characterised in that the mean agglomerated particle size is comprised between 300 and 2000  $\mu\text{m}$ .
3. Improver according to claim 1 or 2, characterised in that the standard deviation/mean  
10 agglomerated particle size ratio is lower than 0.8, preferably lower than 0.65 .
4. Improver according to any of the claims 1 to 3, characterised in that the particles are made of at least fat and proteins.
- 15           5. Improver according to claim 4, characterised in that the particles further comprise ingredients selected from the group consisting of emulsifiers, enzymes, sugars, organic acids, minerals, polysaccharides and/or a mixture thereof.
- 20           6. Improver according to the claim 4 or 5, characterised in that the particles further comprise a carrier, preferably selected from the group consisting of starch, wheat flour soy flour.
7. Method for obtaining the granulated bread  
25 improver according to any of the preceding claims, said method comprising the steps of :
  - preparing a starting material being a bread improver in the form of a dried powder having a mean particle size lower than 200  $\mu\text{m}$ ,
  - 30 - introducing and maintaining said starting material in a fluidised bed reactor, under spraying of an atomised liquid, in order to obtain an agglomeration of the dried



powder particles of said material, and

- recovering a bread improver in the form of a dried powder made of agglomerated particles having mean particle size of at least 250  $\mu\text{m}$ .

5                   8. Method according to claim 7, characterised in that the standard deviation/mean agglomerated particle size ratio of the agglomerated particles is lower than the standard deviation/mean agglomerated particle size ratio of said starting material.

10                   9. Method according to claim 7 or 8, characterised in that the liquid comprises water.

                  10. Method according to claim 9, characterised in that the liquid further comprises an agglomerating agent selected from the group consisting of  
15 polysaccharides (such as guar, alginate, carrageenan, pectin, maltodextrins) or proteins (such as gelatin) and/or a mixture thereof.

                  11. Method according to any of the claims 7 to 10, characterised in that the temperature of the  
20 fluidised bed reactor is comprised between 20 and 45  $^{\circ}\text{C}$ , more preferably between 25 and 40  $^{\circ}\text{C}$ .

                  12. Method according to any of the claims 7 to 11, characterised in that the fluidised bed reactor is a Glatt granulating device.

1/4




Fig. 1

2/4





Fig. 2






Fig. 4

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/BE 99/00025

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A21D10/00 A21D2/00 A21D8/04

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A21D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	GB 998 016 A (THE PROCTER & GAMBLE COMPANY) 14 July 1965 see the whole document ---	1-11
Y	US 3 527 647 A (HAGER JOHN L) 8 September 1970 see claims; example 4 ---	1-11
A	GB 920 261 A (THE PILLSBURY COMPANY) 6 March 1963 see claims; examples 1,3,6 ---	1-7
A	EP 0 659 344 A (GIST BROCADES NV) 28 June 1995 cited in the application ---	
A	FR 2 711 486 A (GIST BROCADES FRANCE SA) 5 May 1995 ---	
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

3 June 1999

Date of mailing of the international search report

10/06/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Bevan, S

# INTERNATIONAL SEARCH REPORT

Inter. and Application No

PCT/BE 99/00025

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>EP 0 650 669 A (GIST BROCADES BV)</p> <p>3 May 1995</p> <p>-----</p>	

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/BE 99/00025

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 998016 A		NONE	
US 3527647 A	08-09-1970	NONE	
GB 920261 A		CH 401012 A DE 1245916 B DE 1301801 B FR 1236209 A NL 125131 C NL 242885 A US 2995773 A	14-11-1960 15-08-1961
EP 0659344 A	28-06-1995	AU 676406 B AU 8173194 A CA 2138817 A JP 7203953 A NZ 270266 A US 5716654 A ZA 9410270 A	06-03-1997 29-06-1995 25-06-1995 08-08-1995 24-04-1997 10-02-1998 29-08-1995
FR 2711486 A	05-05-1995	AU 675008 B AU 7750894 A CA 2134597 A EP 0650669 A JP 7194290 A US 5650188 A	16-01-1997 18-05-1995 30-04-1995 03-05-1995 01-08-1995 22-07-1997
EP 0650669 A	03-05-1995	FR 2711486 A AU 675008 B AU 7750894 A CA 2134597 A JP 7194290 A US 5650188 A	05-05-1995 16-01-1997 18-05-1995 30-04-1995 01-08-1995 22-07-1997